



**SPIERINGS
KRANEN**

Mark: **SPIERINGS** Type: **SK488-AT4**

Crane identification

Serial number:

Year of construction:

Crane group : 3 as per NEN 2018
Loadspectrum : 2 as per NEN 2018
Classification : A as per NEN 2018
Stability : as per NEN 2022

Identificacation-
number

93 tm

Max. load

8,0 tonne

Max. radius
with max. load

12,76 m

Max. capacity

102 tm

Max. jib lenght

40m

Speeds

Jib horizontal / jib 30° luffed

	m/min	kg
	18	8000
	27	4000
	40	2000
	75	0
	0 - 70 m/min	
	0-0,9 rpm	

All motions with hydraulic proportinal controls

Luffing the jib 30° can be controlled from crane cab or via remote control

Driving with erected tower and jib, only with the jib horizontal and positioned over the front carriage, platform locked to the carrier and the outriggers fully extended (max. inclination 2°)

Rated lifting capacity is net capacity

Crane equipped with full counterweight: 9300 kg

360° continuous slewing,
with outriggers out and down

2 Outriggers positons: 6,90 x 6,70 m
6,90 x 5,15 m

Operation allowed up to a windforce of 7 on the Beaufortscale. (wind speed 17 m/sec.)

Sail area of the load max. 1,0 m²/ tonne at a windforce of 7 on the Beaufortscale.

Operating temperature range from -15° to 40° C.

In all cases 2 parts of line


Max. line pull force 4000 kg

The crane should be folded in at a windforce >9 (21m/sec) or when not in use for a longer period


LIFTING CHART Outrigger spread 6,90 m x 6,70 m

Jib horizontal

Hookheight 25 m (height under jib 26,8 m)




Jib 30° luffed




LIFTING CHART Outrigger spread 6,90 m x 5,15 m





Jib horizontal

haakhoogte 25 m (hoogte onder de giek 26,8m)



Jib 30° luffed






SPIERINGS HYDRAULIC FOLDING CRANE SK 488 - AT4

Total weight: 4800 kg

**SPIERINGS
KRANEN bv**
Merwedestraat 15
5347 KZ Oss NL
Tel. 0412-626964
Fax 0412-645299



SPIERINGS HYDRAULIC FOLDING CRANE SK 488 - AT4



Merwedestraat 15
 5347 KZ Oss NL
 Tel. (31) 412 626964
 Fax (31) 412 645299